

Product Number: GR1005 Application: 2007- 16 Jeep JK

SAFETY

Your safety and the safety of others is very important.

- In order to help you make informed decisions about safety, we have provided installation instructions and other information.
- These instructions alert you to potential hazards that could hurt you or others.
- Please do a job safety analysis (JSA) before each task to identify potential hazards for your situation and remove/protect against them.
- You must use your own good judgment, and take your time.

Read and understand all safety precautions and instructions before installing this product.

THIS PRODUCT IS FOR OFFROAD USE ONLY. ALL LIABILITY FOR INSTALLATION AND USE RESTS WITH THE OWNER.

CARELESS INSTALLATION AND OPERATION CAN RESULT IN SERIOUS INJURY OR EQUIPMENT DAMAGE.

Injury hazard

Failure to observe these instructions could lead to severe injury or death.

Always remove jewelry and wear eye protection.
Always use extreme caution when jacking up a vehicle for work. Set emergence
brake and use tire blocks. Locate and use the vehicle manufacturers designated
lifting points. Use jack stands.
Always use appropriate and adequate care in lifting components into place.
Always insure components will remain secure during installation and operation
Always wear safety glasses when installing this kit. A drilling operation will
cause flying metal chips. Flying chips can cause serious eye injury.
Always use extreme caution when drilling on a vehicle. Thoroughly inspect the
area to be drilled (on both sides of material) prior to drilling, and relocate any
objects that may be damaged.
Always use extreme caution when cutting and trimming during fitting.
Always tighten all nuts and bolts securely per installation instructions.
Always route electrical cables carefully. Avoid moving parts, components that
become hot and rough or sharp edges.
Always insulate and protect all exposed wiring and electrical terminals.
Always perform regular inspections and maintenance on mounts and related
hardware.





Product Number: GR1005 Application: 2007- 16 Jeep JK

I. Overview

Congratulations on your new purchase of the industries' best and only high clearance Jeep JK Crash Bar Cover! This Crash Bar Cover has been **engineered** for strength while reducing weight.

Your Grumper was designed, CNC laser cut, fabricated, and powder coated... all in the U.S.A.

Enjoy the fit and finish of a quality JK Crash Bar Cover from Fab Fours Inc!

NOTE: CRASH BAR COVER IS DESIGNED FOR USE WITH FAB FOURS GRUMPER ONLY!!





Product Number: GR1005 Application: 2007- 16 Jeep JK

II. Tools Required

☐ Socket Wrench With Extension

□ ³/₄"Socket

□ 3/16" Allen Wrench

III. Vehicle Preparation

1. If Grumper was previously installed, remove (8) button head bolts securing Grumper to frame.



- 2. With Grumper still in place slide Crash Bar Cover into place.
- 3. Next align the mounting slots and re-install the (8) button head bolts, going through the Crash Bar Cover, Grumper, and the frame.





Product Number: GR1005 Application: 2007- 16 Jeep JK

4. Once all hardware is started, tighten all the hardware.







Product Number: GR1005 Application: 2007- 16 Jeep JK


IV. Maintenance/Care

- ☐ Periodically check and tighten all fasteners.
- ☐ Stripped, fractured, or bent bolts or nuts need to be replaced.

V. Contact Information

Fab Fours Inc. Phone (866)-385-1905 2213 Industrial Park Road Fax (866)-574-1424

Lancaster, SC 29720 Email Support@fabfours.com



More than expected... Better than expected

