



Installation Instructions

Under The Seat Fluid Storage

Product Number:JK1090
For 07-15 Jeep Wrangler 4 Door

SAFETY

Your safety and the safety of others is very important.

- In order to help you make informed decisions about safety, we have provided installation instructions and other information.
- These instructions alert you to potential hazards that could hurt you or others.
- Please do a job safety analysis (JSA) before each task to identify potential hazards for your situation and remove/protect against them.
- You must use your own good judgment, and take your time.

Read and understand all safety precautions and instructions before installing this product.

THIS PRODUCT IS FOR OFFROAD USE ONLY. ALL LIABILITY FOR INSTALLATION AND USE RESTS WITH THE OWNER.

CARELESS INSTALLATION AND OPERATION CAN RESULT IN SERIOUS INJURY OR EQUIPMENT DAMAGE.

Injury hazard

Failure to observe these instructions could lead to severe injury or death.

- Always** remove jewelry and wear eye protection.
- Always** use appropriate and adequate care in lifting components into place.
- Always** insure components will remain secure during installation and operation.
- Always** wear safety glasses when installing this kit
- Always** use extreme caution when cutting and trimming during fitting.
- Always** tighten all nuts and bolts securely per installation instructions.
- Always** perform regular inspections and maintenance on mounts and related hardware.

Overview

Congratulations on your new purchase of the under the seat fluid storage Accessory.

Your under the seat fluid storage was designed in 3-D from digitized data, CNC laser cut, fabricated, and powder coated... all in the U.S.A. Enjoy the fit and finish of a quality under the seat fluid storage from Fab Fours, Inc.

WARNING: This product was designed to be used with 07-15 4 door Jeep Wrangler JK ONLY.





Installation Instructions

Under The Seat Fluid Storage

Product Number:JK1090

For 07-15 Jeep Wrangler 4 Door

I. Tools Required

- 3/16" Allen Wrench

II. Under the seat fluid storage Installation

1. Install storage base under seat by sliding it in between seat mounts from the side of seats as shown below.



2. Once installed under seat, going through the storage base install brackets by sliding bracket over seat support and starting provided 5/16" bolt into bracket as shown below.





Installation Instructions

Under The Seat Fluid Storage

Product Number:JK1090

For 07-15 Jeep Wrangler 4 Door



(Repeat step 2 for front bracket, leaving both brackets hand tight.)

3. Once both brackets are installed, position storage base into desired position. Then pressing both brackets toward each other tighten both 5/16" bolts to complete installation.

WARNING: Once under the seat fluid storage is installed, rear seat will no longer fold down without damaging seat. Fab Fours will not be held liable for any damage caused by trying to fold rear seats down with under the seat fluid storage installed.

III.Maintenance/Care

- Periodically check and tighten all nuts.
- Stripped, fractured, or bent bolts or nuts need to be replaced.





Installation Instructions

Under The Seat Fluid Storage

Product Number:JK1090

For 07-15 Jeep Wrangler 4 Door





Installation Instructions

Under The Seat Fluid Storage

Product Number:JK1090

For 07-15 Jeep Wrangler 4 Door

IV. Contact Information

Fab Fours Inc.
1312 Camp Creek Rd.
Lancaster, SC 29720

Phone (866)-385-1905
Fax (970)-385-1914
Email Support@fabfours.com



More than expected... Better than expected.

